



55" ULTRA SLIM DUAL DISPLAY

Key Feature

- ◆ 55" Dual-sided LCD signage
- ◆ Slim Type: 19.9 mm (Thickness)
- ◆ 700nits (front) / 700nits(back)
- ◆ FHD 1920x1080 resolution
- ◆ 178°/178° wide viewing angle
- ◆ Lightweight Design
- ◆ I/O: HDMI x 2, USB x 2
- ◆ Portrait and Landscape Mode



Option:

- ◆ Multi-Touch screen (available in one or two sided)
- ◆ Camera
- ◆ IPC

Application

Gaming, Retail, Way-finding, Bus stop, Hospitality, Education, Mass transportation...etc




Preliminary Specification

Preliminary Specification		YWD55162
Panel	Size	55"
	Active area	1209.6 (H) x 680.4 (V)
	Luminance	700nits / 700 nits
	Contrast Ratio	1000 : 1 (typ)
	Display color	8-bits
	Viewing Angle (H/V)	178°/178° (typ)
	Display Resolution	1920(H) x 1080(V) pixels
I/O connector	HDMI	x1 per side
	USB	x1 per side (for 5V2A)
	Power with AC switch	Yes
Power	Voltage	100-240V, 50/60Hz
	Consumption(watt)	270W
	Stand by(watt)	<0.5W
	Power off(watt)	<1W
	Wake up	Yes
Dimension	Physical (W x H x D)	1484.3*834.4*19.9mm (Display) 315*328.9*45mm(Power Box)
	Physical (Net Weight)	35 kg(Display), 5kg(Power Box)
Environment	Operation Temp	0 °C ~ 40 °C
	Storage Temp	20~80% RH (no condensation)
	Storage Humidity	-10° C ~ 50°C
	Operating Humidity	20~80% RH (no condensation)

Outline Dimension

YWD55162

Net Weight: <40kg



Power Box

